INDEX

IEE Proceedings Part C
Generation, Transmission and Distribution
Vol. 127, 1980

Abbreviations
- p Paper, address or lecture
- d Discussion on a paper
- a Abstract of paper or address
- e Errata
- s Synopsis of a paper published in full in another Part of the IEE Proceedings

Conference publications

176 Progress in cables and overhead lines for 100 kV and above 50
182 Developments in design and performance of e.h.b. switching equipment 52
185 Developments in power-system protection 269

Author index

A

Abdel-Rahman, M.H., and Bickford, J.P. see Bickford, J.P.
Abdelsalem, M.M., Bickford, J.P., Sanderson, J.V.H., Mohamed, S.E.T., Morais, S.A., and Olipade, O. see Bickford, J.P.
Acock, D., Lidgate, D., and Aitchison, P.W. see Lidgate, D.
Acock, D., Lidgate, D., Khalid, B.M.N., and Psomadellis, F. see Lidgate, D.
Aggarwal, R.K., Johns, A.T., and El-Nour, M. see Johns, A.T.
Ahson, S.I. Adaptive excitation control d48
Aitchison, P.W., Lidgate, D., and Acock, D. see Lidgate, D.
Aitken, K.H., Winning, D.J., Marshall, A.G., Findlay, D.G.E., and Grant, N.F. see Winning, D.J.
Allan, R.N., De Oliveira, M.F., Kozlowski, A., and Williams, G.T. Evaluating the reliability of electrical systems in multi-unit generating stations p65
Ametani, A., and Schinzinger, R. Mutual impedance of transmission lines with earth return p326
Anderson, A.F., Bumby, J.R., and Hassall, B.I. Analysis of helical armature windings with particular reference to superconducting a.c. generators p129
Arnold, C.P., Arrillaga, J., Heffernan, M.D., and Lake, C.B. see Arrillaga, J.
Arrillaga, J., Harker, B.J., and Turner, K.S. Clarifying an ambiguity in recent a.c.-d.c. load-flow formulations p324
Arrillaga, J., Heffernan, M.D., Lake, C.B., and Arnold, C.P. Fault studies in a.c. systems interconnected by h.v. d.c. links p15
Arrillaga, J., Woods, G., and Duke, R.M. Thyristor-controlled in-phase boosting for h.v.d.c. convertors p221
Arrillaga, J., and Baird, J.F. see Baird, J.F.
Ash, D.O., Dey, P., Gaylard, B., and Gibbon, R.R. Conductor systems for overhead lines: some considerations in their selection d206

B

Baggott, A.J., Eyre, A.J., Fielding, G., and Gray, F.M. Use of London's electricity supply system for centralised control d111
Baird, J.F., and Arrillaga, J. Harmonic reduction in d.c.-ripple reinjection p294
Barrault, M.R., and Ranjan, R. see Ranjan, R.
Bickford, J.P., and Abdel-Rahman, M.H. Application of travelling-wave methods to the calculation of transient-fault currents and voltages in power-system networks p153
Bickford, J.P., Sanderson, J.V.H., Abdelsalem, M.M., Mohamed, S.E.T., Morais, S.A., and Olipade, O. Developments in the calculation of waveforms and frequency spectra for transient fault currents and voltages p145
Bickford, J.P., and Diseko, N.L. see Diseko, N.L.
Bickford, J.P., and Khan, A.M.M. see Khan, A.M.M.
Billinton, R., and Medicherla, T.K.P. Overall approach to the reliability evaluation of composite generation and transmission systems p72
Binns, K.J., and Smith, J.R. Prediction of load characteristics of turbogenerators d44
Binns, K.J., Smith, J.R., Williamson, S., and Buckley, G.W. see Smith, J.R.
Brailsford, J.R., and Naybour, R.D. see Naybour, R.D.
Brameller, A., Hamam, K., Hamam, Y.M., and Hindi, K.S. see Hamam, K.
Briggs, B.F.N., and Littlewood, S. see Littlewood, S.
Buckley, G.W., Smith, J.R., Binns, K.J., and Williamson, S. see Smith, J.R.
Bumby, J.R., Anderson, A.F., and Hassall, B.I. see Anderson, A.F.

C

Cochran, A.M., Isles, D.E., and Pope, I.T. Development of pumped-storage in a power system d262
Cooper, C.B., and Walshe, K.A. see Walshe, K.A.
Crnosija, P. Analytical method for the determination of the voltage distortion factor of a network loaded with a thyristor-regulated direct-current motor drive (Summary) p94
Csuros, L., and Foreman, K.F. Some practical aspects of overvoltages on the CEGB transmission system p248

D

Daniels, A.R., and Slattery, D.T. Application of power transistors to polyphase regenerative power convertors d266
Daniels, A.R., and Slattery, D.T. New power convertor technique employing power transistors d266
Davie, H., Findlay, D., Foord, T.R., Marshall, A.G., and Winning, D.J. see Findlay, D.
de Oliveira, J.C., and Yacamini, R. see Yacamini, R.
De Oliveira, M.F., Allan, R.N., Kozlowski, A., and Williams, G.T. see Allan, R.N.
Dey, P., Ash, D.O., Gaylard, B., and Gibbon, R.R. see Ash, D.O.
Diseko, N.L., and Bickford, J.P. A method of simulating linear and nonlinear resonant phenomena associated with transformer feeders p169
Donazzi, F., Occhini, E., and Seppi, A. Soil thermal and hydrological characteristics in designing underground cables d333
Duke, R.M., Arrillaga, J., and Woods, G. see Arrillaga, J.

E

El-Nour, M., Johns, A.T., and Aggarwal, R.K. see Johns, A.T.
Elangovan, S., Krishnaparandhama, T., Kuppurajulu, A., and Sankaranarayanan, V. see Krishnaparandhama, T.
Eyre, A.J., Baggott, A.J., Fielding, G., and Gray, F.M. see Baggott, A.J.

F

Fang, M.T.C., and Shayler, P.J. see Shayler, P.J.
Fielding, G., Baggott, A.J., Eyre, A.J., and Gray, F.M. see Baggott, A.J.
Findlay, D., Davie, H., Foord, T.R., Marshall, A.G., and Winning, D.J. Microprocessor-based adaptive water-turbine governor p360
Findlay, D.G.E., Winning, D.J., Marshall, A.G., Aitken, K.H., and Grant, N.F. see Winning, D.J.
Findlay, R.D. Equivalent nonlinear lumped-parameter network representations for a.c.s.r. conductors p430
Foord, T.R., Findlay, D., Davie, H., Marshall, A.G., and Winning, D.J. see Findlay, D.
Foreman, K.F., and Csuros, L. see Csuros, L.

G

Gardner, G.E., and Unwin, R.J. Development testing techniques for airblast and SF_6 switchgear p285
Gaylard, B., Ash, D.O., Dey, P., and Gibbon, R.R. see Ash, D.O.
Gibbard, M.J., and Muttik, P.K. see Muttik, P.K.
Gibbon, R.R., Ash, D.O., Dey, P., and Gaylard, B. see Ash, D.O.
Gibbons, J.A.M., Saunders, B.L., and Stannett, A.W. Role of metal debris in the performance of stop-joints as used in 275 kV and 400 kV self-contained oil-filled cable circuits p406
Giesner, D.B., Jackson, R.J., and Wilson, M.A. see Jackson, R.J.
Gnanalingham, S., and Wilkins, R. Digital simulation of fuse breaking tests p434
Grant, N.F., Winning, D.J., Marshall, A.G., Findlay, D.G.E., and Aitken, K.H. see Winning, D.J.
Gray, F.M., Baggott, A.J., Eyre, A.J., and Fielding, G. see Baggott, A.J.

H

Hamam, K., Hamam, Y.M., Hindi, K.S., and Brameller, A. Unit commitment of thermal generation p3
Hamam, Y.M., Hamam, K., Hindi, K.S., and Brameller, A. see Hamam, K.
Hannalla, A.Y., and MacDonald, D.C. Sudden 3-phase short-circuit characteristics of turbine generators from design data using electromagnetic field calculations p213
Harker, B.J., Arrillaga, J., and Turner, K.S. see Arrillaga, J.
Hassall, B.I., Anderson, A.F., and Bumby, J.R. see Anderson, A.F.
Hatziargyriou, N., and Yacamini, R. see Yacamini, R.
Heffernan, M.D., Arrillaga, J., Lake, C.B., and Arnold, C.P. see Arrillaga, J.
Hindi, K.S., Hamam, K., Hamam, Y.M., and Brameller, A. see Hamam, K.
Humpage, W.D., Wong, K.P., and Nguyen, T.T. Development of z-transform electromagnetic transient analysis methods for multimode power networks p379

Humpage, W.D., Wong, K.P., Nguyen, T.T., and Sutanto, D. Z-transform electromagnetic transient analysis in power systems p370

I

Isles, D.E., Cochran, A.M., and Pope, I.T. see Cochran, A.M.

J

Jack, A.G., and Stoll, R.L. Negative-sequence currents and losses in the solid rotor of a turbogenerator p53
Jackson, R.J. Interlamination voltages in large turbogenerators d114
Jackson, R.J., Wilson, M.A., and Giesner, D.B. Partial discharges in power-cable joints: their propagation along a cross-bonded circuit and methods for their detection p420
Johns, A.T. New ultra-high-speed directional comparison technique for the protection of e.h.v. transmission lines p228
Johns, A.T., El-Nour, M., and Aggarwal, R.K. Performance of distance protection of e.h.v. feeders utilising shunt-reactor arrangements for arc suppression and voltage control p304

K

Khalid, B.M.N., Lidgate, D., Acock, D., and Psomadellis, F. see Lidgate, D.
Khan, A.M.M., and Bickford, J.P. Interactive calculation of power system transients p41
Kozlowski, A., Allan, R.N., De Oliveira, M.F., and Williams, G.T. see Allan, R.N.
Krishnaparandhama, T., Elangovan, S., Kuppurajulu, A., and Sankaranarayanan, V. Fast power-flow solution by the method of reduction and restoration p90
Kuppurajulu, A., Krishnaparandhama, T., Elangovan, S., and Sankaranarayanan, V. see Krishnaparandhama, T.

L

Lake, C.B., Arrillaga, J., Heffernan, M.D., and Arnold, C.P. see Arrillaga, J.
Ledwich, G. Adaptive excitation control d48
Lidgate, D., Acock, D., Khalid, B.M.N., and Psomadellis, F. Electrical operational interlocks for a fossil-fired power station auxiliary system p317
Lidgate, D., Aitchison, P.W., and Acock, D. Electrical interlock design for complex high-power switching networks d265
Littlewood, S., and Briggs, B.F.N. Auto-resetting interrupter for use with 11 kV triggered spark gaps p97
Lorch, H.O., Tavner, P.J., Penman, J., and Stoll, R.L. see Tavner, P.J.
Lugton, W.T., Slamencka, E., and Rieder, W. see Slamencka, E.

M

MacDonald, D.C., and Hannalla, A.Y. see Hannalla, A.Y.
Marshall, A.G., Findlay, D., Davie, H., Foord, T.R., and Winning, D.J. see Findlay, D.
Marshall, A.G., Winning, D.J., Findlay, D.G.E., Aitken, K.H., and Grant, N.F. see Winning, D.J.
Medicherla, T.K.P., and Billinton, R. see Billinton, R.
Mohamed, S.E.T., Bickford, J.P., Sanderson, J.V.H., Abdelsalem, M.M., Morais, S.A., and Olipade, O. see Bickford, J.P.
Morais, S.A., Bickford, J.P., Sanderson, J.V.H., Abdelsalem, M.M., Mohamed, S.E.T., and Olipade, O. see Bickford, J.P.
Muir, M.J., and Yee, H. see Yee, H.
Mukhopadhyay, P., Sarkar, B.N., and Verma, V.K. see Sarkar, B.N.
Muttik, P.K., and Gibbard, M.J. Design of synchronous generator excitation controllers in multimachine power systems inverse Nyquist array p350

N

Naybour, R.D., and Brailsford, J.R. A new type of test for connectors to be used on aluminium conductors d339
Nguyen, T.T., Humpage, W.D., and Wong, K.P. see Humpage, W.D.
Nguyen, T.T., Humpage, W.D., Wong, K.P., and Sutanto, D. see Humpage, W.D.

O

Occhini, E., Donazzi, F., and Seppi, A. see Donazzi, F.
Olipade, O., Bickford, J.P., Sanderson, J.V.H., Abdelsalem, M.M., Mohamed, S.E.T., and Morais, S.A. see Bickford, J.P.
Oliver, A.J. Estimation of transformer winding temperature and coolant flows using general network method p395

P

Patel, M.R. Dynamic stability of helical and barrel coils in transformers against axial short-circuit forces p281
Penman, J., Tavner, P.J., Stoll, R.L., and Lorch, H.O. see Tavner, P.J.
Pope, I.T., Cochran, A.M., and Isles, D.E. see Cochran, A.M.
Poray, A.T., and Shackshaft, G. see Shackshaft, G.
Prusty, S., and Rao, M.V.S. New method for predetermination of true saturation characteristics of transformers and non-linear reactors p106
Psomadellis, F., Lidgate, D., Acock, D., and Khalid, B.M.N. see Lidgate, D.
Purge Prasad, G.S.S.S.K., and Tripathy, S.C. see Tripathy, S.C.

R

Ranjan, R., and Barrault, M.R. Axial electric-field measurements of d.c. arcs in current-limiting fuses p199
Rao, M.V.S., and Prusty, S. see Prusty, S.
Rieder, W., Slamencka, E., and Lugton, W.T. see Slamencka, E.

S

Sanderson, J.V.H., Bickford, J.P., Abdelsalem, M.M., Mohamed, S.E.T., Morais, S.A., and Olipade, O. see Bickford, J.P.
Sankaranarayanan, V., Krishnaparandhama, T., Elangovan, S., and Kuppurajulu, A. see Krishnaparandhama, T.
Sarkar, B.N., Verma, V.K., and Mukhopadhyay, P. Effect of field failure of a d.w.r. generator p82
Saunders, B.L., Gibbons, J.A.M., and Stannett, A.W. see Gibbons, J.A.M.
Schinzinger, R., and Ametani, A. see Ametani, A.
Seppi, A., Donazzi, F., and Occhini, E. see Donazzi, F.
Shackshaft, G., and Poray, A.T. Implementation of new approach to determination of synchronous-machine parameters from tests d44
Shayler, P.J., and Fang, M.T.C. Flow near the upstream electrode of gas-blast circuit breakers p26
Slamencka, E., Rieder, W., and Lugton, W.T. Synthetic testing: the present state d203
Slattery, D.T., and Daniels, A.R. see Daniels, A.R.
Slattery, D.T., and Daniels, A.R. see Daniels, A.R.
Smith, J.R., Binns, K.J., Williamson, S., and Buckley, G.W. Determination of saturated reactances of turbogenerators p122
Smith, J.R., and Binns, K.J. see Binns, K.J.
Stalewski, A., and Weller, G.C. Novel capacitor-divider voltage sensors for high-voltage transmission systems d210
Stannett, A.W., Gibbons, J.A.M., and Saunders, B.L. see Gibbons, J.A.M.
Stoll, R.L., and Jack, A.G. see Jack, A.G.
Stoll, R.L., Tavner, P.J., Penman, J., and Lorch, H.O. see Tavner, P.J.
Sutanto, D., Humpage, W.D., Wong, K.P., and Nguyen, T.T. see Humpage, W.D.

T

Tagg, G.F. Multiple-driven-rod earth connection p240
Tavner, P.J., Penman, J., Stoll, R.L., and Lorch, H.O. Influence of winding design on the axial flux in laminated-stator cores d114
Tripathy, S.C., and Purge Prasad, G.S.S.S.K. Load flow solution for ill-conditioned power systems by quadratically convergent Newton-like method p273
Turner, K.S., Arrillaga, J., and Harker, B.J. see Arrillaga, J.

U

Unwin, R.J., and Gardner, G.E. see Gardner, G.E.

V

Valkovic, Z. Calculation of the losses in three-phase transformer tanks p20
Verma, V.K., Sarkar, B.N., and Mukhopadhyay, P. see Sarkar, B.N.

W

Walshe, K.A., and Cooper, C.B. Slope reactance effects in single-phase saturated reactors d329
Weller, G.C., and Stalewski, A. see Stalewski, A.
Wilkins, R., and Gnanalingham, S. see Gnanalingham, S.
Williams, G.T., Allan, R.N., De Oliveira, M.F., and Kozlowski, A. see Allan, R.N.
Williamson, S., Smith, J.R., Binns, K.J., and Buckley, G.W. see Smith, J.R.
Wilson, M.A., Jackson, R.J., and Giesner, D.B. see Jackson, R.J.
Winning, D.J., Marshall, A.G., Findlay, D.G.E., Aitken, K.H., and Grant, N.F. Controller testing facility on 32.5 MW water turbine (Technical note) p357
Winning, D.J., Findlay, D., Davie, H., Foord, T.R., and Marshall, A.G. see Findlay, D.
Wong, K.P., Humpage, W.D., and Nguyen, T.T. see Humpage, W.D.
Wong, K.P., Humpage, W.D., Nguyen, T.T., and Sutanto, D. see Humpage, W.D.
Woods, G., Arrillaga, J., and Duke, R.M. see Arrillaga, J.

Y

Yacamini, R., and de Oliveira, J.C. Instability in h.v. d.c. schemes at low-order integer harmonics p179
Yacamini, R., and Hatziargyriou, N. Overvoltages caused by blocking twelve pulse h.v.d.c. schemes p189
Yee, H., and Muir, M.J. Transient stability of multimachine systems with saturable exciters p9
Yokoyama, S. Experimental analysis of earth wires for induced lightning surges p33

Subject index

ARCING

Axial electric-field measurements of d.c. arcs in current-limiting fuses. R.Ranjan and M.R.Barrault p199
Digital simulation of fuse breaking tests. S.Gnanalingham and R.Wilkins p434

CABLES AND OVERHEAD LINES

Application of travelling-wave methods to the calculation of transient-fault currents and voltages in power-system networks. J.P.Bickford and M.H.Abdel-Rahman p153
Auto-resetting interrupter for use with 11 kV triggered spark gaps. S.Littlewood and B.F.N.Briggs p97
Conductor systems for overhead lines: some considerations in their selection. D.O.Ash, P.Dey, B.Gaylard and R.R.Gibbon d206
Developments in the calculation of waveforms and frequency spectra for transient fault currents and voltages. J.P.Bickford, J.V.H.Sanderson, M.M.Abdelsalem, S.E.T.Mohamed, S.A.Morais and O.Olipade p145
Experimental analysis of earth wires for induced lightning surges. S.Yokoyama p33
Mutual impedance of transmission lines with earth return. A.Ametani and R.Schinzinger p326
Partial discharges in power-cable joints: their propagation along a crossbonded circuit and methods for their detection. R.J.Jackson, M.A.Wilson and D.B.Giesner p420
Role of metal debris in the performance of stop-joints as used in 275 kV and 400 kV self-contained oil-filled cable circuits. J.A.M.Gibbons, B.L.Saunders and A.W.Stannett p406
Soil thermal and hydrological characteristics in designing underground cables. F.Donazzi, E.Occhini and A.Seppi d333

CIRCUIT BREAKERS

Electrical operational interlocks for a fossil-fired power station auxiliary system. D.Lidgate, D.Acock, B.M.N.Khalid and F.Psomadellis p317
Flow near the upstream electrode of gas-blast circuit breakers. P.J.Shayler and M.T.C.Fang p26

CIRCUIT THEORY AND DESIGN

Synthetic testing: the present state. E.Slamencka, W.Rieder and W.T.Lugton d203

COMPUTER APPLICATIONS

Interactive calculation of power system transients. A.M.M.Khan and J.P.Bickford p41
Transient stability of multimachine systems with saturable exciters. H.Yee and M.J.Muir p9
Use of London's electricity supply system for centralised control. A.J.Baggott, A.J.Eyre, G.Fielding and F.M.Gray d111

CONDUCTORS AND CONDUCTIVITY

A new type of test for connectors to be used on aluminium conductors. R.D.Naybour and J.R.Brailsford d339
Equivalent nonlinear lumped-parameter network representations for a.c.s.r. conductors. R.D.Findlay p430

CONTROL EQUIPMENT AND APPLICATIONS

Adaptive excitation control. G.Ledwich d48

CONVERTORS

Harmonic reduction in d.c.-ripple reinjection. J.F.Baird and J.Arrillaga p294
Thyristor-controlled in-phase boosting for h.v.d.c. convertors. J.Arrillaga, G.Woods and R.M.Duke p221

ERRORS AND ERROR ANALYSIS

Overall approach to the reliability evaluation of composite generation and transmission systems. R.Billinton and T.K.P.Medicherla p72

FAULT LOCATION

Fault studies in a.c. systems interconnected by h.v. d.c. links. J.Arrillaga, M.D.Heffernan, C.B.Lake and C.P.Arnold p15

FLUID MECHANICS

Flow near the upstream electrode of gas-blast circuit breakers. P.J.Shayler and M.T.C.Fang p26

GENERATORS

Analysis of helical armature windings with particular reference to superconducting a.c. generators. A.F.Anderson, J.R.Bumby and B.I.Hassall p129
Controller testing facility on 32.5 MW water turbine (Technical note). D.J.Winning, A.G.Marshall, D.G.E.Findlay, K.H.Aitken and N.F.Grant p357
Design of synchronous generator excitation controllers in multimachine power systems inverse Nyquist array. P.K.Muttik and M.J.Gibbard p350
Determination of saturated reactances of turbogenerators. J.R.Smith, K.J.Binns, S.Williamson and G.W.Buckley p122
Evaluating the reliability of electrical systems in multi-unit generating stations. R.N.Allan, M.F.De Oliveira, A.Kozlowski and G.T.Williams p65
Fast power-flow solution by the method of reduction and restoration. T.Krishnaparandhama, S.Elangovan, A.Kuppurajulu and V.Sankaranarayanan p90
Interlamination voltages in large turbogenerators. R.J.Jackson d114
Microprocessor-based adaptive water-turbine governor. D.Findlay, H.Davie, T.R.Foord, A.G.Marshall and D.J.Winning p360
Negative-sequence currents and losses in the solid rotor of a turbogenerator. A.G.Jack and R.L.Stoll p53
Prediction of load characteristics of turbogenerators. K.J.Binns and J.R.Smith d44
Sudden 3-phase short-circuit characteristics of turbine generators from design data using electromagnetic field calculations. A.Y.Hannalla and D.C.MacDonald p213

INSULATORS AND INSULATION

Some practical aspects of overvoltages on the CEGB transmission system. L.Csuros and K.F.Foreman p248

LIGHTNING AND LIGHTNING PROTECTION

Application of travelling-wave methods to the calculation of transient-fault currents and voltages in power-system networks. J.P.Bickford and M.H.Abdel-Rahman p153
Auto-resetting interrupter for use with 11 kV triggered spark gaps. S.Littlewood and B.F.N.Briggs p97
Experimental analysis of earth wires for induced lightning surges. S.Yokoyama p33
Some practical aspects of overvoltages on the CEGB transmission system. L.Csuros and K.F.Foreman p248

LOAD AND VOLTAGE REGULATION

Clarifying an ambiguity in recent a.c.-d.c. load-flow formulations. J.Arrillaga, B.J.Harker and K.S.Turner p324
Effect of field failure of a d.w.r. generator. B.N.Sarkar, V.K.Verma and P.Mukhopadhyay p82
Fast power-flow solution by the method of reduction and restoration. T.Krishnaparandhama, S.Elangovan, A.Kuppurajulu and V.Sankaranarayanan p90
Load flow solution for ill-conditioned power systems by quadratically convergent Newton-like method. S.C.Tripathy and G.S.S.S.K.Purge Prasad p273

MAGNETIC DEVICES AND PROPERTIES

Determination of saturated reactances of turbogenerators. J.R.Smith, K.J.Binns, S.Williamson and G.W.Buckley p122

Negative-sequence currents and losses in the solid rotor of a turbogenerator. A.G.Jack and R.L.Stoll p53
Overvoltages caused by blocking twelve pulse h.v.d.c. schemes. R.Yacamini and N.Hatziargyriou p189

MAGNETIC FIELDS

Analysis of helical armature windings with particular reference to superconducting a.c. generators. A.F.Anderson, J.R.Bumby and B.I.Hassall p129

MATHEMATICAL TECHNIQUES

A method of simulating linear and nonlinear resonant phenomena associated with transformer feeders. N.L.Diseko and J.P.Bickford p169
Developments in the calculation of waveforms and frequency spectra for transient fault currents and voltages. J.P.Bickford, J.V.H.Sanderson, M.M.Abdelsalem, S.E.T.Mohamed, S.A.Morais and O.Olipade p145
Flow near the upstream electrode of gas-blast circuit breakers. P.J.Shayler and M.T.C.Fang p26
Load flow solution for ill-conditioned power systems by quadratically convergent Newton-like method. S.C.Tripathy and G.S.S.S.K.Purge Prasad p273

MICROPROCESSORS

Electrical operational interlocks for a fossil-fired power station auxiliary system. D.Lidgate, D.Acock, B.M.N.Khalid and F.Psomadellis p317
Microprocessor-based adaptive water-turbine governor. D.Findlay, H.Davie, T.R.Foord, A.G.Marshall and D.J.Winning p360

MOTORS

Influence of winding design on the axial flux in laminated-stator cores. P.J.Tavner, J.Penman, R.L.Stoll and H.O.Lorch d114

MOTORS, D.C.

Analytical method for the determination of the voltage distortion factor of a network loaded with a thyristor-regulated direct-current motor drive (Summary). P.Crnosija p94

NETWORKS

Conductor systems for overhead lines: some considerations in their selection. D.O.Ash, P.Dey, B.Gaylard and R.R.Gibbon d206
Equivalent nonlinear lumped-parameter network representations for a.c.s.r. conductors. R.D.Findlay p430
Fast power-flow solution by the method of reduction and restoration. T.Krishnaparandhama, S.Elangovan, A.Kuppurajulu and V.Sankaranarayanan p90
Slope reactance effects in single-phase saturated reactors. K.A.Walshe and C.B.Cooper d329

NONLINEAR SYSTEMS

Equivalent nonlinear lumped-parameter network representations for a.c.s.r. conductors. R.D.Findlay p430
Load flow solution for ill-conditioned power systems by quadratically convergent Newton-like method. S.C.Tripathy and G.S.S.S.K.Purge Prasad p273

OPTIMAL CONTROL

Unit commitment of thermal generation. K.Hamam, Y.M.Hamam, K.S.Hindi and A.Brameller p3

POWER CONVERSION

Fault studies in a.c. systems interconnected by h.v. d.c. links. J.Arrillaga, M.D.Heffernan, C.B.Lake and C.P.Arnold p15

POWER ELECTRONICS

Harmonic reduction in d.c.-ripple reinjection. J.F.Baird and J.Arrillaga p294

POWER SYSTEM PROTECTION

Electrical interlock design for complex high-power switching networks. D.Lidgate, P.W.Aitchison and D.Acock d265
Evaluating the reliability of electrical systems in multi-unit generating stations. R.N.Allan, M.F.De Oliveira, A.Kozlowski and G.T.Williams p65
Fault studies in a.c. systems interconnected by h.v. d.c. links. J.Arrillaga, M.D.Heffernan, C.B.Lake and C.P.Arnold p15
Instability in h.v. d.c. schemes at low-order integer harmonics. R.Yacamini and J.C.de Oliveira p179
New ultra-high-speed directional comparison technique for the protection of e.h.v. transmission lines. A.T.Johns p228

POWER SYSTEMS AND PLANT

Application of travelling-wave methods to the calculation of transient-fault currents and voltages in power-system networks. J.P.Bickford and M.H.Abdel-Rahman p153
Controller testing facility on 32.5 MW water turbine (Technical note). D.J.Winning, A.G.Marshall, D.G.E.Findlay, K.H.Aitken and N.F.Grant p357
Design of synchronous generator excitation controllers in multimachine power systems inverse Nyquist array. P.K.Muttik and M.J.Gibbard p350
Development of pumped-storage in a power system. A.M.Cochran, D.E.Isles and I.T.Pope d262
Electrical operational interlocks for a fossil-fired power station auxiliary system. D.Lidgate, D.Acock, B.M.N.Khalid and F.Psomadellis p317
Evaluating the reliability of electrical systems in multi-unit generating stations. R.N.Allan, M.F.De Oliveira, A.Kozlowski and G.T.Williams p65
Interactive calculation of power system transients. A.M.M.Khan and J.P.Bickford p41
Overall approach to the reliability evaluation of composite generation and transmission systems. R.Billinton and T.K.P.Medicherla p72
Transient stability of multimachine systems with saturable exciters. H.Yee and M.J.Muir p9
Unit commitment of thermal generation. K.Hamam, Y.M.Hamam, K.S.Hindi and A.Brameller p3

POWER TRANSMISSION

Development of z-transform electromagnetic transient analysis methods for multimode power networks. W.D.Humpage, K.P.Wong and T.T.Nguyen p379
Fault studies in a.c. systems interconnected by h.v. d.c. links. J.Arrillaga, M.D.Heffernan, C.B.Lake and C.P.Arnold p15
Instability in h.v. d.c. schemes at low-order integer harmonics. R.Yacamini and J.C.de Oliveira p179
Mutual impedance of transmission lines with earth return. A.Ametani and R.Schinzinger p326
Overall approach to the reliability evaluation of composite generation and transmission systems. R.Billinton and T.K.P.Medicherla p72
Overvoltages caused by blocking twelve pulse h.v.d.c. schemes. R.Yacamini and N.Hatziargyriou p189
Some practical aspects of overvoltages on the CEGB transmission system. L.Csuros and K.F.Foreman p248
Z-transform electromagnetic transient analysis in power systems. W.D.Humpage, K.P.Wong, T.T.Nguyen and D.Sutanto p370

RELAYS

New ultra-high-speed directional comparison technique for the protection of e.h.v. transmission lines. A.T.Johns p228
Performance of distance protection of e.h.v. feeders utilising shunt-reactor arrangements for arc suppression and voltage control. A.T.Johns, M.El-Nour and R.K.Aggarwal p304

RELIABILITY

A new type of test for connectors to be used on aluminium conductors. R.D.Naybour and J.R.Brailsford d339
Evaluating the reliability of electrical systems in multi-unit generating stations. R.N.Allan, M.F.De Oliveira, A.Kozlowski and G.T.Williams p65

SIMULATION

Determination of saturated reactances of turbogenerators. J.R.Smith, K.J.Binns, S.Williamson and G.W.Buckley p122
New method for predetermination of true saturation characteristics of transformers and nonlinear reactors. S.Prusty and M.V.S.Rao p106
Slope reactance effects in single-phase saturated reactors. K.A.Walshe and C.B.Cooper d329

STABILITY

Dynamic stability of helical and barrel coils in transformers against axial short-circuit forces. M.R.Patel p281
Effect of field failure of a d.w.r. generator. B.N.Sarkar, V.K.Verma and P.Mukhopadhyay p82
Transient stability of multimachine systems with saturable exciters. H.Yee and M.J.Muir p9

SUPERCONDUCTIVITY

Analysis of helical armature windings with particular reference to superconducting a.c. generators. A.F.Anderson, J.R.Bumby and B.I.Hassall p129

SWITCHGEAR

Fault studies in a.c. systems interconnected by h.v. d.c. links. J.Arrillaga, M.D.Heffernan, C.B.Lake and C.P.Arnold p15

SYNCHRONOUS MOTORS

Effect of field failure of a d.w.r. generator. B.N.Sarkar, V.K.Verma and P.Mukhopadhyay p82
Implementation of new approach to determination of synchronous-machine parameters from tests. G.Shackshaft and A.T.Poray d44

SYSTEM PROTECTION

Multiple-driven-rod earth connection. G.F.Tagg p240
Mutual impedance of transmission lines with earth return. A.Ametani and R.Schinzinger p326

THYRISTORS AND THYRISTOR APPLICATIONS

Thyristor-controlled in-phase boosting for h.v.d.c. convertors. J.Arrillaga, G.Woods and R.M.Duke p221

TRANSFORMERS AND SWITCHGEAR

A method of simulating linear and nonlinear resonant phenomena associated with transformer feeders. N.L.Diseko and J.P.Bickford p169
Application of power transistors to polyphase regenerative power convertors. A.R.Daniels and D.T.Slattery d266
Calculation of the losses in three-phase transformer tanks. Z.Valkovic p20
Clarifying an ambiguity in recent a.c.-d.c. load-flow formulations. J.Arrillaga, B.J.Harker and K.S.Turner p324
Development testing techniques for airblast and SF_6 switchgear. G.E.Gardner and R.J.Unwin p285
Dynamic stability of helical and barrel coils in transformers against axial short-circuit forces. M.R.Patel p281
Instability in h.v. d.c. schemes at low-order integer harmonics. R.Yacamini and J.C.de Oliveira p179
New method for predetermination of true saturation characteristics of transformers and nonlinear reactors. S.Prusty and M.V.S.Rao p106
New power convertor technique employing power transistors. A.R.Daniels and D.T.Slattery d266

TRANSFORMS

Analytical method for the determination of the voltage distortion factor of a network loaded with a thyristor-regulated direct-current motor drive (Summary). P.Crnosija p94
Development of z-transform electromagnetic transient analysis methods for multimode power networks. W.D.Humpage, K.P.Wong and T.T.Nguyen p379
Estimation of transformer winding temperature and coolant flows using general network method. A.J.Oliver p395
Overvoltages caused by blocking twelve pulse h.v.d.c. schemes. R.Yacamini and N.Hatziargyriou p189
Z-transform electromagnetic transient analysis in power systems. W.D.Humpage, K.P.Wong, T.T.Nguyen and D.Sutanto p370

TRANSIENTS

Application of travelling-wave methods to the calculation of transient-fault currents and voltages in power-system networks. J.P.Bickford and M.H.Abdel-Rahman p153
Interactive calculation of power system transients. A.M.M.Khan and J.P.Bickford p41
Some practical aspects of overvoltages on the CEGB transmission system. L.Csuros and K.F.Foreman p248
Transient stability of multimachine systems with saturable exciters. H.Yee and M.J.Muir p9

TRANSISTORS

Application of power transistors to polyphase regenerative power convertors. A.R.Daniels and D.T.Slattery d266
New power convertor technique employing power transistors. A.R.Daniels and D.T.Slattery d266

TRANSMISSION-LINE THEORY

Conductor systems for overhead lines: some considerations in their selection. D.O.Ash, P.Dey, B.Gaylard and R.R.Gibbon d206
Effect of field failure of a d.w.r. generator. B.N.Sarkar, V.K.Verma and P.Mukhopadhyay p82
Electrical interlock design for complex high-power switching networks. D.Lidgate, P.W.Aitchison and D.Acock d265
New ultra-high-speed directional comparison technique for the protection of e.h.v. transmission lines. A.T.Johns p228
Novel capacitor-divider voltage sensors for high-voltage transmission systems. A.Stalewski and G.C.Weller d210
Performance of distance protection of e.h.v. feeders utilising shunt-reactor arrangements for arc suppression and voltage control. A.T.Johns, M.El-Nour and R.K.Aggarwal p304

WAVES AND WAVE SCATTERING

Application of travelling-wave methods to the calculation of transient-fault currents and voltages in power-system networks. J.P.Bickford and M.H.Abdel-Rahman p153

Book reviews

Electric power systems: B.M. Weedy p110
Optimal economic operation of electric power systems: M.E. El-Hawary and G.S. Christensen p419

Index to discussion contributors

Amor, C.F., **331**
Amos, K.G., **111**
Anderson, A.F., **46**, **114**
Ash, D.O., **340**

Barclay, R.S., **262**
Barnes, J., **208**
Beale, H.K., **342**
Bradbury, J., **208**, **340**
Burbridge, R.F., **111**

Carpenter, C.J., **116**
Coates, R., **331**
Cory, B.J., **265**
Cotterill, R., **263**
Csuros, L., **210**
Cullen, J.B., **343**

Dineley, J.L., **45**
Douglas, J.A.K., **330**

Ellis, N.S., **204**
Erinmez, I.A., **46**

Fletcher, C.P., **329**

Gardner, G.E., **203**
Gibbon, M.A., **267**
Gifford, R.A., **204**
Gosden, J.H., **339**
Gosland, L., **333**
Gosling, G.G., **203**
Gregson, L., **203**

Hammond, P., **118**
Hitchcock, J.A., **335**
Hodkinson, R.L., **267**
Houldsworth, J.A., **266**
Howard, R.S., **111**
Hughes, M.L., **342**

Ibbotson, F.J., **263**

Jackson, R.J., **262**
Jackson, R.L., **342**

Kendall, P.G., **112**
King, K.G., **266**

Lamb, R., **208**
Lewis, K.G., **343**
Lidgate, D., **264**
Loughran, J., **330**

Macdonald, D.C., **44**
McDonald, F.G., **341**
Maples, G.C., **265**
Myall .W.G., **207**

Orawski, G., **207**, **341**
O'Sullivan, D., **335**

Phemister, T.G., **116**
Plumpton, A., **111**
Preece, R.J., **333**
Preston, T.W., **116**
Price, C.F., **339**

Reece, A.B.J., **44**, **115**

Smee, G., **334**
Smith, J.R., **342**
Smith, R., **117**
Soulsby, D.R., **336**
Steel, J.G., **115**
Stille, C.E., **264**

Thelwell, M.J., **333**

Vaughan, D.W., **341**

Ward, H.L., **112**
Watson, A.R., **343**
White, E.L., **210**
Wood, A.B., **206**

Young, D.J., **329**